



THE GCK SELECTION

# The right floor. For your space.

Vinyl • Laminate • Engineered wood • Solid hardwood • Epoxy



**Clear choices. One project with GCK.**

Curated colours, practical guidance and comparisons to help you choose with confidence.



# Five ways to make it yours.

Material shapes performance. Collection and colour bring the character.



01

## Vinyl

A wood-look surface over a synthetic structure. Practical for everyday life and rooms exposed to splashes.

04




02

## Laminate / floating

A protected printed design over a wood-fibre core. A choice for visual appeal and everyday use.

07



03

## Engineered wood

Real wood on top of a stabilizing construction. Every board has its own natural grain and colour variation.

08




04

## Solid hardwood

Real wood throughout the board. A choice for living spaces on main and upper floors.

11



05

## Epoxy / resin

A coating applied to prepared concrete. Solid-colour, metallic or flake finishes, chosen for the project.

15

### “Floating” describes installation, not a material.

Both click vinyl and laminate can be installed as floating floors. The product and subfloor determine the method.

**Underlayment and membranes: the essentials, page 19.**

Tap a category to open its section.

# HydroGen 6

BIYORK | CLICK VINYL | EVERYDAY ESSENTIAL



**7 × 60 in**

Plank size

**6 mm**

Overall thickness

**0.50 mm**

Wear layer

**Click**

Attached underlay

## WHY CHOOSE IT


Choose it for everyday practicality, a versatile plank size and a wear layer suited to residential use. A balanced option when extra-large boards are not a priority.

## WHERE IT FITS

Living rooms, bedrooms, kitchens and dry basements, after subfloor assessment.

Waterproof structure ≠ a waterproof room. Water can still reach the subfloor and walls.

## YOUR GCK PALETTE




**Lily Canvas**



**Raw**



**Midday Sunrise**



**Woodland**

Images and data: Biyork. Room image: Lily Canvas. Colours are indicative. Confirm a physical sample and availability with GCK.

# HydroGen 8

BIYORK | CLICK VINYL | SIGNATURE SCALE



**9 × 72 in**

Large planks

**8 mm**

Overall thickness

**22 mil**

Wear layer ≈ 0.56 mm

**Nimbus**

Core construction

## WHY CHOOSE IT


Choose it for wider, longer planks, pressed bevels and texture aligned with the printed grain. The upgrade emphasizes appearance and feel, with a modest increase in wear-layer thickness.

## WHERE IT FITS


Open-plan rooms, living areas and bedrooms. Also considered for kitchens and dry basements when project conditions allow.

Extra thickness does not replace proper subfloor levelling.


## YOUR GCK PALETTE



**Mellow Mist**



**Cumulus Cloud**



**Breezy Billow**



**Valley Bliss**

Images and data: Biyork. Room image: Mellow Mist. Colours are indicative. Confirm a physical sample and availability with GCK.

# Everyday or extra-wide?

Two vinyl options. The main differences are in scale, texture and feel.

| Your priority   | HydroGen 6                                                            | HydroGen 8                                                     |
|-----------------|-----------------------------------------------------------------------|----------------------------------------------------------------|
| Plank size      | 7 × 60 in: versatile proportions.                                     | 9 × 72 in: a larger-plank look.                                |
| Construction    | 6 mm overall; attached underlay.                                      | 8 mm overall; Nimbus core and attached underlay.               |
| Wear layer      | 0.50 mm for everyday use.                                             | 22 mil (about 0.56 mm). A modest increase, not a radical leap. |
| Choose it if... | You want core functionality without prioritizing the largest format.  | Plank scale, texture and the overall design matter more.       |
| In both cases   | View a sample in your room; dry, flat subfloor; furniture protection. | The same precautions apply. No floor is scratch-proof.         |

GCK guidance

Start with the room and your lifestyle, then compare both samples in your own home’s light.

Comparison based on Biyork specifications. Dimensions alone do not predict service life.

# Waterfront

FUZION | LAMINATE | WOOD LOOK, ACTIVE LIVING



**12 mm**

Overall thickness

**AC4**

Abrasion rating

**72 h**

Water resistance\*

**5G**

Floating click installation

## WHY CHOOSE IT

Choose it for texture aligned with the grain and its AC4 abrasion rating. An alternative to vinyl where you prefer the look and feel of laminate.

## WHERE IT FITS


Living rooms, bedrooms and offices. Kitchens or dry basements only after installation and moisture requirements are checked.

\*Resistance is limited to manufacturer conditions, not flooding. Wipe spills promptly.

## YOUR GCK PALETTE



**Lakeview Oak**



**Clam Shell Oak**

Images and data: Fuzion, Waterfront v4. Size varies by colour; AC4 measures abrasion. Colours are indicative. Confirm a physical sample and availability with GCK.

# Nouveau 7 Bespoke

BIYORK | ENGINEERED WOOD | EUROPEAN OAK



**7½ in**

Plank width

**¾ in**

Overall thickness

**4 mm**

Real-wood veneer

**Brushed**

Character grade

## WHY CHOOSE IT


Choose it for wide real-oak boards, emphasized grain and natural variation. A characterful choice for contemporary or warm, welcoming interiors.

## WHERE IT FITS


Living rooms, dining rooms, bedrooms and renovations where real wood is the priority.

Sensitive to water and indoor climate. Refinishing potential depends on the floor's actual condition.


## YOUR GCK PALETTE




**Northern Veranda**



**Cottage Plank**



**Lake Promenade**




**Rooftop Loft**

Images and data: Biyork. Room image: Northern Veranda. Colours are indicative. Confirm a physical sample and availability with GCK.

# Expert Essential

LAUZON | ENGINEERED WOOD | RED OAK, TRADITION GRADE



**3<sup>1</sup>/<sub>8</sub> / 4<sup>1</sup>/<sub>8</sub> in**

Colour-specific widths

**3/4 in**

2-ply construction

**5.2 mm**

Wood veneer\*

**Smooth**

Matte finish

## WHY CHOOSE IT

Choose it for traditional proportions, a smooth surface and red-oak variation. Its thick veneer is useful for a long-term project, without guaranteeing a number of refinishing cycles.

## WHERE IT FITS

Bedrooms, living rooms and dining rooms. GCK confirms the exact width, construction and colour before ordering.


Engineered wood is still wood: avoid standing water and maintain specified humidity conditions.

## YOUR GCK PALETTE




**Natural**

3<sup>1</sup>/<sub>8</sub> or 4<sup>1</sup>/<sub>8</sub> in



**Brook**

3<sup>1</sup>/<sub>8</sub> in



**Opal**

3<sup>1</sup>/<sub>8</sub> in

Images: Lauzon red oak. \*Essential 2-ply technical sheet. Shades and board lengths vary. Colours are indicative. Confirm a physical sample and availability with GCK.

# Two expressions of real wood.

A choice of style and construction, rather than a simple quality hierarchy.



| Compare           | Biyork Bespoke                                   | Lauzon Essential                                         |
|-------------------|--------------------------------------------------|----------------------------------------------------------|
| Species / texture | Wirebrushed European oak.                        | Smooth, matte red oak.                                   |
| Proportions       | Wide 7½-in planks.                               | 3⅛ in; Natural also in 4⅛ in.                            |
| Wood veneer       | 4 mm                                             | 5.2 mm                                                   |
| Why this choice?  | You like wide planks and brushed wood character. | You prefer a traditional board rhythm and smooth finish. |

## A thicker veneer does not make wood scratch-proof.

Finish, species, care and use also matter. Any future sanding must be assessed by a professional.

Data: Biyork Nouveau 7 Bespoke and Lauzon Expert Essential 2-ply.

# Expert Essential

LAUZON | SOLID HARDWOOD | MADE IN QUEBEC



**3¼ in**

Selected width

**¾ in**

Solid construction



**Tradition**

Appearance grade

**Matte**

Smooth surface

## WHY CHOOSE IT


The starting point for solid hardwood in a classic format. Tradition grade allows more colour variation and natural markings. Choose it when this character suits your space without prioritizing a more uniform selection.

## WHERE IT FITS

Living rooms, bedrooms and dining rooms on main or upper floors, over a suitable wood subfloor.


Nailed or stapled. No basements or radiant heating. Indoor relative humidity: 35-55%.

## YOUR GCK PALETTE



**Natural**

Red oak · 3¼ in



**Natural**

Hard maple · 3¼ in

Images: Lauzon, in the indicated species and colour. Natural wood varies from board to board. Colours are indicative. Confirm a physical sample and availability with GCK.

# Expert Décor

LAUZON | SOLID HARDWOOD | MADE IN QUEBEC



**4¼ in**

Selected width

**¾ in**

Solid construction

**Exclusive**

Appearance grade

**Ultra-matte**

Smooth surface

## WHY CHOOSE IT


A visual upgrade: 4¼-in boards, an ultra-matte finish and Exclusive grade. Choose it for a more even appearance while retaining natural colour variation.

## WHERE IT FITS

Living rooms, bedrooms and dining rooms on main or upper floors, over a suitable wood subfloor.

Nailed or stapled. No basements or radiant heating. Indoor relative humidity: 35-55%.

## YOUR GCK PALETTE



**Melia**

Red oak · 4¼ in



**Vela**

Red oak · 4¼ in



**Natural**

Hard maple · 4¼ in

Images: Lauzon, in the indicated species and colour. Natural wood varies from board to board. Colours are indicative. Confirm a physical sample and availability with GCK.

# Expert Püre

LAUZON | SOLID HARDWOOD | MADE IN QUEBEC



**4 1/4 in**

Selected width

**3/4 in**

Solid construction

**Select**

Appearance grade

**Ultra-matte**

Smooth surface

## WHY CHOOSE IT

The choice for a cleaner appearance. Select & Better grade limits natural markings and colour contrasts. Choose it for its palette and visual consistency, rather than a promise of greater durability.

## WHERE IT FITS

Living rooms, bedrooms and dining rooms on main or upper floors, over a suitable wood subfloor.

Nailed or stapled. No basements or radiant heating. Indoor relative humidity: 35-55%.

## YOUR GCK PALETTE



### Scandina

Red oak · 4 1/4 in



### Boreal

Hard maple · 4 1/4 in

Images: Lauzon, in the indicated species and colour. Natural wood varies from board to board. Colours are indicative. Confirm a physical sample and availability with GCK.

# Which solid hardwood fits?

Three collections, one solid construction. The upgrade is mainly in appearance.

| Your priority         | Essential                              | Décor                              | Püre                                     |
|-----------------------|----------------------------------------|------------------------------------|------------------------------------------|
| <b>Selected width</b> | 3¼ in                                  | 4¼ in                              | 4¼ in                                    |
| <b>Character</b>      | Tradition: more pronounced variation.  | Exclusive: a more even look.       | Select & Better: fewer natural markings. |
| <b>Finish</b>         | Smooth, matte.                         | Smooth, ultra-matte.               | Smooth, ultra-matte.                     |
| <b>Why choose it?</b> | Classic solid wood; embrace variation. | Wider boards and a quieter finish. | Prioritize a cleaner visual selection.   |

## SOLID OR ENGINEERED?

Solid: wood throughout the board, for wood subfloors on main and upper levels. Engineered: a real-wood veneer over a stabilizing base, with more installation possibilities depending on the product, subfloor and method.

### Grade describes appearance.

A higher grade does not make wood waterproof or scratch-proof. Refinishing potential depends on the floor's condition and needs professional assessment.

Data: Lauzon Expert standard solid technical sheet, March 2026. Widths limited to the GCK selection.

# Epoxy: solid colours.

STYLES & INSPIRATION | CLEAN AND SEAMLESS



## A clean look for your basement.

A uniform colour that lets your furnishings stand out. Choose it for a family room, office or laundry room over a suitable concrete slab.

### SELECTED COLOURS



**Light Grey**



**Medium Grey**



**Light Beige**



**Beige**

Professional-grade coatings. GCK assesses the slab, moisture and suitable coating system before work begins.

Mechanical surface preparation is included. Required repairs and any additional treatments are identified in your GCK quotation.

Images show possible finishes. Actual colours and patterns vary.

# Epoxy: metallic finishes.

STYLES & INSPIRATION | MOVEMENT AND DEPTH



## Make the floor a focal point.

Reflective, marble-like movement for a finished basement, lounge or entertaining space. Choose it for its decorative character: every application creates a unique pattern.


### SELECTED COLOURS



**Light Silver**



**Silver**



**Black Pearl**



**Smooth Coffee**

GCK helps define the blend, movement and sheen. The result will not exactly reproduce a photograph or sample.

Colours and availability to be confirmed in your quotation.

# Epoxy: flake finishes.

STYLES & INSPIRATION | TEXTURE AND CONTRAST



## An option for hardworking spaces.

Blended flakes create a speckled appearance. A choice for a laundry room, workshop or exercise area; also offered for garages with a system suited to that use.

### SELECTED COLOURS



#### Domino


¼-in flakes

¼-in flakes. GCK specifies coverage, texture and finish to suit the room's use.



#### Shoreline

¼-in flakes



#### Orbit

¼-in flakes

Colours and availability to be confirmed in your quotation.

# Match the floor to the room.

A starting guide. GCK confirms the product and installation after a site assessment.

| Room / use                | Start with these options                                                                 | What to check                                                          |
|---------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| <b>Living / bedroom</b>   | Either vinyl, Waterfront or real wood, depending on the desired look.                    | Acoustics, comfort, lighting and transitions.                          |
| <b>Kitchen / entry</b>    | Start with vinyl; laminate or wood is conditional.                                       | Water, tracked-in grit and installation details. Wipe spills promptly. |
| <b>Dry basement</b>       | Vinyl; resin on a suitable slab. Engineered wood requires assessment; no solid hardwood. | Concrete moisture, flatness and past water ingress.                    |
| <b>After water damage</b> | Select only after drying and addressing the cause.                                       | None of these floors replaces corrective work.                         |
| <b>Bathroom</b>           | Vinyl only when the product and installation are approved.                               | None of these options is specified for a shower floor.                 |
| <b>Garage / workshop</b>  | A resin system specified for this use.                                                   | Tires, chemicals, traction and slab moisture.                          |

## Radiant heat or a condo?

Tell us early: heating compatibility, temperature limits and acoustic requirements must be checked for the complete assembly.

# Underlayment and membranes.

WHAT GOES BENEATH YOUR FLOOR

GCK specifies the underlayment or membrane suited to your installation. These are our selections for common installations.

| Your installation                                                                                                                                                                  | Product to specify                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|
| <b>Waterfront laminate</b><br><b>Floating over wood or concrete.</b><br><b>Underlayment required.</b>                                                                              | Fuzion Big Blue IXPE<br>3 mm                 |
| <b>HydroGen 6 or 8 vinyl</b><br><b>Installed over concrete.</b><br><b>Recommended vapour protection.</b>                                                                           | Roberts Moisture Barricade<br>70-115   6 mil |
| <b>Wood nailed or stapled over wood</b><br><b>Without adhesive: Lauzon Essential, Décor, Püre and</b><br><b>Nouveau 7 Bespoke.</b><br><b>Protective membrane specified by GCK.</b> | Roberts Aquabar « B »<br>70-195              |

HydroGen 6 and 8 already have an attached pad: no extra foam is added for standard installations.

For another installation method or condo requirements, GCK identifies the necessary membrane in your quotation.

# Your selection. Your GCK project.

Guidance from the first sample to the finishing details.

## 01 Define the use

Rooms, pets, traffic, moisture, heating and the look you want.

## 02 Compare at home

Shortlist two or three colours and view them beside your walls and furniture, in your lighting.

## 03 Confirm the details

Subfloor, preparation, transitions, baseboards, stairs, availability and scope of work.

### KEEP THE FINISH LOOKING ITS BEST

Remove grit regularly. Use furniture pads and compatible mats. Clean with the recommended product and avoid excess water. For wood, maintain the specified indoor humidity. For resin, respect the system's return-to-service time.

## Let's plan your floor.

Note your favourite colours and share them with your GCK advisor.

### About this collection

Flooring: Montreal delivery checked October 9, 2026. Epoxy: palette revised October 14, 2026; confirm colours and availability in your quotation. Reconfirm quantities, lead times and formats before ordering. Product-specific warranties and restrictions apply. Photos do not replace approval of a physical sample.

Technical and visual references: Biyork • Fuzion Waterfront v4 • Lauzon Expert engineered and solid • Torginol / Chromology. Edition revised October 14, 2026.





**Clear choices. One project with GCK.**